



Approval Date : 06/04/2015

Supersedes Date : 02/15/2012

SAFETY DATA SHEET

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier

Product Name : Son of Glob™
CAS Number : Mixture
Product Description : Polyether Millable Polyurethane mixture

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use(s) : Equipment cleaning material for Rubber Industry
Restrictions on Use(s) : None known

1.3 Supplier

: TSE Industries, Inc.
 5260 113th Avenue North
 Clearwater, FL 33760
 Tel: (727) 573-7676
 Fax: (727) 572-0415

SDS Contact : SDSInquiry@TSE-Industries.com
Hours of Operation : Monday-Friday, 8:00 am-5:00 pm EST

1.4 Emergency Telephone

: INFOTRAC®
 North America: +1-800-535-5053

SECTION 2: Hazards Identification

2.1 Classification of the Substance or Mixture

Product Definition : Mixture
Physical Hazards : Not Classified as physical hazard according to 2012 OSHA Hazard Communication Standard: 29 CFR1910.1200
Health Hazards : Not Classified as health hazard according to 2012 OSHA Hazard Communication Standard: 29 CFR1910.1200. See section 11 for more information.
Unknown Acute Toxicity : There is no acute toxicity data available for this material. 100% of this product consists of ingredients with unknown acute toxicity.

2.2 Label Elements

: None required

2.3 Hazard Not Otherwise Classified

Asphyxiate : None
Combustible Dust : None

SECTION 3: Composition/Information on Ingredients

Substance/Mixture : Mixture

PRODUCT/INGREDIENT NAME	CAS#	%
Crystalline Silica	14808-60-7	0.33

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures

- Eye Contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately if irritation symptoms occur.
- Skin Contact** : Flush contaminated skin with soap and water. Get medical attention if irritation symptoms occur.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Protection of First-Aiders** : No action shall be taken involving any personal risk or without suitable training

4.2 Most Important Symptoms of Exposure

- Potential Acute Symptoms** : No known significant effects or critical hazards
- Potential Chronic Symptoms** : No known significant effects or critical hazards

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

- Notes to Physician** : Treat symptomatically.
- Special Treatments** : No specific procedure.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media

- Suitable Extinguishing Media** : Use dry chemical, CO₂, or alcohol resistant foam.
- Unsuitable Extinguishing Media** : Water

5.2 Special Hazards Arising from the Substance or Mixture

- Hazards from the Substance or Mixture** : No specific fire or explosion hazard.
- Hazardous Thermal Decomposition Products** : Carbon dioxide, carbon monoxide, oxides of nitrogen, cyanides, and irritating organic vapors.

5.3 Advice for Firefighters

- Special Protective Actions for Firefighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Large fire can be extinguished with large volumes of water applied from a safe distance.
- Special Protective Equipment for Firefighters** : Firefighters should wear NFPA compliant firefighting protective equipment and self-contained breathing apparatus (SCBA).

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

- Emergency Response Personnel** : Evacuate surrounding area. Keep unnecessary and unprotected personnel from entering spill area. Do not touch or walk through spilt material. Put on appropriate personal protective equipment as specified in Section 8 of this SDS. Ventilate and remove ignition sources.

- 6.2 Environmental Precautions** : Avoid contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and Materials for Containment and Cleaning Up

- Small Spill** : Move containers from spill area. Vacuum or sweep up material into an approved container for disposal. Seal the container and dispose according to instructions in Section 13 of this SDS.
- Large Spill** : Call Infotrac emergency telephone in Section 1 of this SDS.

SECTION 7: Handling and Storage

7.1 Handling

- Protective Measures** : Wear appropriate personal protective equipment, as specified in Section 8 of this SDS, while handling this material.
- Handling** : Eating, drinking and smoking should be prohibited in the areas where this material is handled. Clean any spills immediately and decontaminate surface according to procedure in Section 6.

7.2 Storage

- : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers.

SECTION 8: Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits

Occupational Exposure Limits have not been established for this material.

This material is supplied in the solid form and generally eliminates hazards associated with powder form when handled using recommended processing procedure.

Name	CAS#	Regulatory Limits (OSHA PEL)		Recommended Limits (ACGIH TLV)	
		ppm	mg/ m ³	ppm	mg/ m ³
Silicon Carbide	409-21-2	-	*15* **5	-	*10 **3
Crystalline Silica	14808-60-7	-	*10/ (%SiO ₂ +2)	-	0.025*

*Total Dust

**Respirable Dust

- Recommended Monitoring** : There are no methods for the assessment of exposure by inhalation to this material.

8.2 Exposure Controls

- Engineering Controls** : Good general ventilation should be sufficient to control worker to exposure to airborne contaminants.
Provide local exhaust ventilation to keep airborne concentration below the recommended occupational exposure limit if material is ground, cut or used in any operation that may generate excessive heat or dust
- Environmental Controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation if material is ground, cut or used in any operation that may generate excessive heat or dust. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

- Hygiene Measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/Face Protection** : Safety glasses complying with OSHA 1910.133 standard.
- Hand Protection** : Chemical-resistant gloves complying with OSHA 1910.138 standard should be worn at all times when handling chemical products. Recommended gloves: Nitrile rubber
- Body Protection** : General work clothing provides sufficient protection while handling this product. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

- Foot Protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Foot protection should comply with OSHA 1910.136 standard.
- Respiratory Protection** : Use air-purifying respirator complying with OSHA 1910.134 standard if a risk assessment indicates this is necessary. Recommended air-purifying respirator cartridge is an organic vapor with particulate filter (Combination OV/P100) cartridge.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance

- Physical State** : Solid
- Color** : Green gray with sparkles
- Odor** : Characteristic [Slight]
- Odor Threshold** : No data available
- pH** : No data available
- Melting Point/Freezing Point** : No data available
- Initial Boiling Point & Boiling Range** : No data available
- Flash Point** : No data available
- Evaporation Rate** : No data available
- Flammability** : No data available
- Upper/Lower Flammability or Explosive Limits** : No data available
- Vapor Pressure** : No data available
- Vapor Density** : No data available
- Relative Density** : 1.6 g/cm³
- Solubility(ies)** : Soluble in Tetrahydrofuran, Dimethylformamide and chlorinated solvents
- Partition Coefficient: n-octano/water** : No data available
- Auto-ignition Temperature** : No data available
- Decomposition Temperature** : >204°C (>400°F)
- Viscosity** : Not available

- 9.2 Other Information** : None

SECTION 10: Stability and Reactivity

- 10.1 Reactivity** : No specific data is available related to reactivity of this material.
- 10.2 Chemical Stability** : Stable at room temperature in closed containers under normal storage and handling condition (70°F and 14.7psig).
- 10.3 Possibility of Hazardous Polymerization** : Hazardous polymerization does not occur under normal storage and handling condition (70°F and 14.7psig).
- 10.4 Conditions to Avoid** : Extreme heat, light and moisture.
- 10.5 Incompatible Materials** : Oxidizing materials.
- 10.6 Hazardous Decomposition Products** : Under normal conditions of storage and use, hazardous decomposition should not occur. Thermal decomposition may release: Carbon dioxide, carbon monoxide, oxides of nitrogen, cyanides and irritating organic vapors.

SECTION 11: Toxicological Information

Information on toxicological effects of material is not available. Individual component information and calculation method have been used to evaluate health and physical hazards of the mixture.

Material contains a small amount of Crystalline Silica, substance which may cause cancer by inhalation. Crystalline Silica is encapsulated in millable polyurethane rubber. Based on professional knowledge and experience, Crystalline Silica will not be released from Son of Glob during its recommended use and modified classification for carcinogenicity is justified.

Toxicity Data for Crystalline Silica

Acute Toxicity	:	Oral LD ₅₀ : No data available Dermal LD ₅₀ : No data available Inhalation LC ₅₀ : No data available
Sensitization	:	No data available
Skin Irritation	:	No data available
Eye Irritation	:	No data available
Repeated Dose Toxicity	:	No data available
Mutagenicity	:	No data available
Carcinogenicity	:	Contains greater than 0.1% Crystalline Silica which is listed as Group1 carcinogen by IARC, a known carcinogen by NTP and OSHA, and as A2 suspect human carcinogen by ACGIH.
Teratogenicity	:	No data available
Specific Target Organ Toxicity (single exposure)	:	No data available
Specific Target Organ Toxicity (repeated exposure)	:	Lungs. Liver.
Aspiration Hazard	:	No data available
Information on the Likely Routes of Exposure	:	Inhalation.

Potential Acute Health Effects

Eye Contact	:	No known significant effects or critical hazards.
Inhalation	:	May cause respiratory irritation
Skin Contact	:	May cause skin irritation.
Ingestion	:	No known significant effects or critical hazards.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential Immediate Effects	:	Not available.
Potential Delayed Effects	:	Not available.

Long Term Exposure

Potential Immediate Effects	:	Not available.
Potential Delayed Effects	:	Damage to lungs through prolonged or repeated exposure. A dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis. In advanced stages, loss of appetite, pleuritic pain, and total incapacity to work.

Potential Chronic Health Effects

General	:	Advanced silicosis may result in death due to cardiac failure or destruction of lung tissue.
Carcinogenicity	:	Prolonged inhalation of crystalline silica may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Other Information	:	None

SECTION 12: Ecological Information

12.1 Ecotoxicity	:	No data available
-------------------------	---	-------------------

- 12.2 Persistence and Degradability : No data available
- 12.3 Bioaccumulative Potential : No data available
- 12.4 Mobility in Soil
- Soil/Water Partition Coefficient (K_{oc}) : No data available
- Mobility : No data available
- 12.5 Other Adverse Effects : No known significant effects or critical hazards.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

- Methods of Disposal : Dispose product via a licensed waste disposal contractor in accordance with existing federal, state and local environmental laws. Incineration is the preferred method.
- Empty Container Disposal : Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special Precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

SECTION 14: Transport Information

- Land Transport (DOT) : Non-Regulated
- Sea Transport (IMODG) : Non-Regulated
- Air Transport (ICAO/IATA) : Non-Regulated
- Additional Transportation Information : None

SECTION 15: Regulatory Information

U.S. EPA CERCLA Hazardous Substances (40CFR302.4) :

Components

None

Reportable quantity

U.S. EPA SARA TITLE III: Section 311/312 Categorizations (40CFR370) : None

U.S. EPA Emergency Planning and Community Right-to-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substances (40CFR 355, Appendix A) : None

U.S. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65)-Supplier Notification Required : This product does not contain a chemical which is listed in Section 313 at or above 'de minimis' concentrations.

U.S. Toxic Substances Control Act : All components of this material are listed on the TSCA Inventory list.

State Right-to-Know Information

The following chemical is specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

<u>Weight %</u>	<u>Components</u>	<u>CAS-No.</u>	<u>State</u>
	None		

California Proposition 65

To the best of our knowledge, this product does not contain chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

SECTION 16: Other Information

Abbreviations and Acronyms

ATE	:	Acute Toxicity Estimate
DNEL	:	Derived No Effect Level
ACGIH	:	American Conference of Governmental Industrial Hygienists
CASRN	:	Chemical Abstracts Service Registry Number
IARC	:	International Agency for Research on Cancer
N/A	:	Not Applicable
N/D	:	Not Determined
N/E	:	Not Established
NTP	:	National Toxicology Program
OSHA	:	Occupational Safety & Health Administration
PEL	:	Permissible Exposure Limit
PPE	:	Personal Protective Equipment
STEL	:	Short Term (15 min) Exposure Limit
STP	:	Standard Temperature and Pressure
TLV	:	Threshold Limit Value
TWA	:	Time Weighted Average (8 hr.) Time Weighted Average (8 hr.)

TSE Industries, Inc. makes no representations or warranties with respect to the information in this Safety Data Sheet. The information is, however, correct and up to date to the best of TSE's knowledge. This list of information is not intended to be all inclusive. Actual conditions of use and handling may require considerations of information other than or in addition to that, which is provided herein. TSE makes no representations or warranties that the material meets the requirements and/or regulations of any country other than the United States. It is the end user's responsibility to determine whether this material meets their intended purpose and whether it complies with the laws and applicable regulations of their particular country.