



Approval Date : 09/03/2015  
Supersedes Date : 03/16/2015

# SAFETY DATA SHEET

## SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

### 1.1 Product Identifier

**Product Name** : Thanecure® T11 Unground, Thanecure® T11 Superfine  
**CAS Number** : 26747-90-0  
**Product Description** : Toluene Diisocyanate Dimer

### 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Use(s)** : Used as an accelerator in the curing of elastomers; rubber vulcanization accelerator.  
**Restrictions on Use(s)** : None known.

### 1.3 Supplier

TSE Industries, Inc.  
5260 113<sup>th</sup> Avenue North  
Clearwater, FL 33760  
Tel: (727) 573-7676  
Fax: (727) 572-0415

**SDS Contact** : [SDSInquiry@TSE-Industries.com](mailto:SDSInquiry@TSE-Industries.com)  
**Hours of Operation** : Monday-Friday, 8:00 am-5:00 pm EST

### 1.4 Emergency Telephone

INFOTRAC®  
North America: +1-800-535-5053

## SECTION 2: Hazards Identification

### 2.1 Classification of the Substance or Mixture

**Product Definition** : Substance  
**Physical Hazards** : Not Classified as physical hazard according to 2012 OSHA Hazard Communication Standard: 29 CFR1910.1200.  
**Health Hazards** : Not Classified as physical hazard according to 2012 OSHA Hazard Communication Standard: 29 CFR1910.1200.  
**Unknown Acute Toxicity** : This mixture has not been tested as a whole and classification is based on the toxicity of individual components. Acute toxicity of 99.9% of this mixture is unknown.

**2.2 Label Elements** : None needed based on classification criteria

### 2.3 Hazard Not Otherwise Classified

**Asphyxiate** : None  
**Combustible Dust** : None  
**Other** : May cause sensitization by inhalation and skin contact. 2,4-Toluene Diisocyanate in even small amounts may trigger asthmatic reaction with sensitized individuals as referenced in section 4.2.

## SECTION 3: Composition/Information on Ingredients

**Substance/Mixture** : Substance

PRODUCT/INGREDIENT NAME	CAS#	%
1,3-Diazatididine-2,4-dione, 1,3,-bis(3-isocyanatomethylphenyl)-	26747-90-0	>99.9
Toluene-2,4-diisocyanate	584-84-9	<0.1

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

## SECTION 4: First Aid Measures

### 4.1 Description of First Aid Measures

- Eye Contact** : Immediately flush eyes with plenty of water for at least 15 min., occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen or artificial respiration as needed. Get medical attention immediately if irritation symptoms occur.
- Skin Contact** : Remove contaminated clothing and shoes. Flush contaminated skin with plenty of soap and water for at least 15 minutes. Wash clothing before reuse. Get medical attention if symptoms occur.
- Ingestion** : Do not induce vomiting unless directed to do so by medical personnel. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Protection of First-Aiders** : No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most Important Symptoms of Exposure

- Acute** : Exposure to diisocyanate vapors or mists at concentration above PEL can irritate the mucous membranes in the respiratory tract, cause runny nose, sore throat, coughing, chest discomfort, shortness of breath and breathing obstruction.  
Exposure well above PEL may lead to bronchitis, bronchial spasm and pulmonary edema. Chemical or hypersensitivity pneumonitis, with flu-like symptoms (e.g. fever, chills) has also been reported. These effects are usually reversible.  
Persons with preexisting, nonspecific bronchial hyper reactivity can respond to concentration below PEL with similar symptoms as well as asthma attack symptoms.  
May cause skin irritation with symptoms of reddening, itching and swelling. Person previously sensitized can experience allergic skin reaction with symptoms of reddening, itching, swelling and rash.  
May cause serious eye irritation with symptoms of reddening, tearing, stinging, swelling and burning.
- Delayed** : Symptoms of acute inhalation can be delayed for several hours after overexposure.

### 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

- Notes to Physician** : Inhalation effects may be delayed. Keep affected person under observation.

## SECTION 5: Firefighting Measures

### 5.1 Extinguishing Media

- Suitable Extinguishing Media** : Dry chemical, CO<sub>2</sub>, foam.
- Unsuitable Extinguishing Media** : Do not use high-pressure water streams.

### 5.2 Special Hazards Arising from the Substance or Mixture

- Hazards from the Substance or Mixture** : Fine dust clouds may form explosive mixture with air.
- Hazardous Thermal Decomposition Products** : Carbon dioxide, carbon monoxide, oxides of nitrogen, hydrogen cyanide, toluene diisocyanate vapors.

### 5.3 Advice for Firefighters

- Special Protective Actions for Firefighters** : Move container(s) from fire area if it can be done without risk. Cool material with water spray until well after the fire is out. Do not scatter spilled material with high-pressure water streams.
- Special Protective Equipment for Firefighters** : Fire-fighters should wear NFPA compliant firefighting protective equipment and self-contained breathing apparatus (SCBA).

## SECTION 6: Accidental Release Measures

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

**Emergency Response Personnel** : Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment as specified in Section 8 of this SDS. Remove ignition sources.

**6.2 Environmental Precautions** : Avoid dispersal of spilt material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution.

### 6.3 Methods and Materials for Containment and Cleaning Up

**Small Spill** : Move containers from spill area. Vacuum or sweep up material and place it in an approved labeled container. Seal the container and dispose according to instructions in section 13 of this SDS.

**Large Spill** : Not anticipated.

## SECTION 7: Handling and Storage

### 7.1 Handling

**Protective Measures** : Wear appropriate personal protective equipment, as specified in section 8 of this SDS, while handling this material.

**Handling** : Use only in well-ventilated areas. Avoid contact with eyes. Avoid generation and breathing of dust. Do not eat, drink or smoke while handling this material. Clean any spills immediately and decontaminate surface according to procedure in section 6.

**7.2 Storage** : Store in accordance with local regulations. Store in original container in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1 Occupational Exposure Limits

Name	CAS#	Regulatory Limits (OSHA PEL)		Recommended Limits (ACGIH TLV)	
		ppm	mg/ m <sup>3</sup>	ppm	mg/ m <sup>3</sup>
Toluene-2,4-diisocyanate	584-84-9	0.02 ***	0.14***	0.005	0.036
Dust or Particulates not otherwise specified	NA	-	15* 5**	-	10* 3**

\*Total Dust

\*\*Respirable Dust

\*\*\*Ceiling Limit Value

**Recommended Monitoring** : Personal and workplace atmosphere monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

### 8.2 Exposure Controls

**Engineering Controls** : Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Ensure compliance with applicable exposure limits. Use process enclosures, local ventilation or other engineering controls to keep worker exposure to airborne contaminants if user operations generate dust, fumes, gas or vapors.

**Environmental Controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual Protection Measures**

- Hygiene Measures** : Remove contaminated clothing. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location
- Eye/Face Protection** : Eye protection complying with OSHA 1910.133 standard.
- Hand Protection** : Chemical-resistant, impervious gloves complying with OSHA 1910.138 standard should be worn at all times when handling chemical products. Recommended gloves: Nitrile rubber
- Body Protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Use permeation resistant clothing when spray mist/vapors are anticipated.
- Foot Protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Foot protection should comply with OSHA 1910.136 standard.
- Respiratory Protection** : Use air-purifying respirator complying with OSHA 1910.134 standard if vapors form. Recommended air-purifying respirator cartridge is an organic vapor with particulate filter (Combination OV/P100) cartridge.

**SECTION 9: Physical and Chemical Properties**

**9.1 Information on Basic Physical and Chemical Properties**

Appearance

- Physical State** : Solid powder
- Color** : White
- Odor** : Aromatic
- Odor Threshold** : No data available
- pH** : No data available
- Melting Point/Freezing Point** : >145°C (293°F)
- Initial Boiling Point & Boiling Range** : No data available
- Flash Point** : No data available
- Evaporation Rate** : No data available
- Flammability** : No data available
- Upper/Lower Flammability or Explosive Limits** : No data available
- Vapor Pressure** : No data available
- Vapor Density** : No data available
- Relative Density** : 1.48 mg/cm<sup>3</sup> @ 21°C(70°F)
- Solubility(ies)** : No data available
- Partition Coefficient: n-octano/water** : No data available
- Auto-ignition Temperature** : 500°C (953 F)
- Decomposition Temperature** : No data available
- Viscosity** : No data available

- 9.2 Other Information** : None

**SECTION 10: Stability and Reactivity**

- 10.1 Reactivity** : No reactivity hazard is expected.
- 10.2 Chemical Stability** : Reacts slowly with moisture form air to form carbon dioxide.

- 10.3 Possibility of Hazardous Polymerization** : Under normal conditions of storage and use, hazardous reactions will not occur. Will not polymerize.
- 10.4 Conditions to Avoid** : Avoid dust formation. Avoid heat, flames, sparks and other source of ignition. Avoid contact with incompatible materials. At temperatures above 100°C (212°F), decomposition accelerates with generation of 2,4-Toluene Diisocyanate.
- 10.5 Incompatible Materials** : Amines, alcohols, surfactants.
- 10.6 Hazardous Decomposition Products** : Carbon dioxide, carbon monoxide, oxides of nitrogen, hydrogen cyanide, toluene diisocyanate vapors.

## SECTION 11: Toxicological Information

Information on toxicological effects of material is not available at this time. Individual component information and calculations method have been used to evaluate health and physical hazards of the mixture.

**Toxicity Data for Toluene Diisocyanate Dimer** : No data available

### **Toxicity Data for 2,4-Toluene Diisocyanate**

- Acute Toxicity** : Oral LD<sub>50</sub>: 5110 mg/kg (rat, male)  
4130 mg/kg (rat, female)  
Dermal LD<sub>50</sub>: >9400 mg/kg (rabbit)  
Inhalation LC<sub>50</sub>: 66 ppm, 1h (rat)
- Sensitization** : Skin sensitization (local lymph node assay (LLNA)):positive (mouse, OECD Test Guideline 429)  
Inhalation: sensitizer (guinea pig, other method).
- Skin Irritation** : Rabbit, Draize, exposure time: 24 h, Moderately irritating
- Eye Irritation** : Rabbit, Severe irritant
- Repeated Dose Toxicity** : 113 weeks, inhalation NOAEL: 0.05 ppm (rat, Male/Female, 6 hr. /day 5 days/week)  
Irritation to lungs and nasal cavity. No systematic effects were observed.  
90 Days, Oral: NOAEL: 30 mg/kg LOAEL: 60 mg/kg (rat, Male/Female, 5 days/week)  
Reduced body weight gain. Changes in lungs.
- Mutagenicity** : Genetic Toxicity in Vitro:  
Ames: (Salmonella typhimurium, Metabolic Activation: with/without).Positive and negative results were reported. The use of certain solvents which rapidly hydrolyze diisocyanates is suspected of producing the positive mutagenicity results.  
Genetic Toxicity in Vivo:  
Micronucleus Assay: Negative (rat).  
Unscheduled DNA synthesis: Negative (rat).
- Carcinogenicity** : Rat, Male/Female, inhalation 113 weeks, 6 hr./day, 5days/week: Negative.
- Reproductive Toxicity** : Two generation study, inhalation, 6 hr. /day, 7 days/week (rat, Male/Female) NOAEL (parental): 0.08 ppm, NOAEL (F1): 0.02 ppm, NOAEL (F2): 0.3 ppm,  
No effects on reproductive parameters observed at doses tested.
- Teratogenicity** : Rat, Female, inhalation, gestation days 6-15, 6 hr. /day, 7 days/week, NOAEL (teratogenicity): 0.1 ppm, NOAEL (maternal): 0.1 ppm  
No Teratogenic effects observed at does tested. Fetotoxicity seen only with material toxicity.
- Specific Target Organ Toxicity (single exposure)** : Respiratory system
- Specific Target Organ Toxicity (repeated exposure)** : Not data available.
- Aspiration Hazard** : Not data available.
- Information on the Likely Routes of Exposure** : Inhalation, skin and eye contact.
- Potential Acute Health Effects**
- Eye Contact** : Eye irritation. May cause temporary corneal injury.

- Inhalation** : Respiratory tract irritation with exposure above PEL. Bronchitis, bronchial spasm and pulmonary edema with exposure well above PEL. Possible chemical or hypersensitivity pneumonitis.
- Skin Contact** : Skin irritation. Allergic skin reaction with person previously sensitized.
- Ingestion** : Irritation of the digestive tract.

**Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure**

**Short Term Exposure**

- Potential Immediate Effects** : Respiratory, eye and skin irritation. and allergic reaction.
- Potential Delayed Effects** : Symptoms affecting the respiratory tract can also occur hours after overexposure.

**Long Term Exposure**

- Potential Immediate Effects** : Allergic skin reaction. Asthmatic reaction.
- Potential Delayed Effects** : Not information available.

**Potential Chronic Health Effects**

- General** : Sensitization to diisocyanates can be permanent. Decreased pulmonary function. Asthmatic response to dust, cold air or other irritants.
- Carcinogenicity** : This product contains no listed carcinogenic substances above the cut-off value as defined by IARC. NTP, ACGIH or OSHA.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental Effects** : No known significant effects or critical hazards.
- Fertility Effects** : No known significant effects or critical hazards.
- Other Information** : None

**SECTION 12: Ecological Information**

- 12.1 Ecotoxicity** : Not data available.
- 12.2 Persistence and Degradability** : Not data available.
- 12.3 Bioaccumulative Potential** : Not data available.
- 12.4 Mobility in Soil** : Not data available.
- Soil/Water Partition Coefficient (K<sub>oc</sub>)** : Not data available.
- Mobility** : Not data available.
- 12.5 Other Adverse Effects** : Not data available.

**SECTION 13: Disposal Considerations**

- 13.1 Waste Treatment Methods**
- Methods of Disposal** : Dispose product via a licensed waste disposal contractor in accordance with existing federal, state and local environmental laws. Incineration is the preferred method.
- Empty Container Disposal** : Empty container contains product residue. Do not reuse. If container is to be disposed, ensure all product residue is removed prior to disposal.
- Special Precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

**SECTION 14: Transport Information**

- Land Transport (DOT)** : Not regulated.
- Sea Transport (IMODG)** : Not regulated.
- Air Transport (ICAO/IATA)** : Not regulated.

**Additional Transportation Information** : Not regulated.

**SECTION 15: Regulatory Information**

**U.S. EPA CERCLA Hazardous Substances (40CFR302.4)** :

**Components**

None

**Reportable quantity**

**U.S. EPA SARA TITLE III: Section 311/312 Categorizations (40CFR370)** : None

**U.S. EPA Emergency Planning and Community Right-to-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substances (40CFR 355, Appendix A)** : None

**U.S. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65)-Supplier Notification Required** : This product does not contain a chemical which is listed in Section 313 at or above 'de minimis' concentrations.

**U.S. Toxic Substances Control Act** : All components of this material are in compliance with the current inventory requirements.

**State Right-to-Know Information**

The following chemical is specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

<u>Weight %</u>	<u>Components</u>	<u>CAS-No.</u>	<u>State</u>
>99.9	Toluene Diisocyanate Dimer	26747-90	PA, NJ
<0.1	2,4-Toluene Diisocyanate	584-84-9	PA, MA,

**California Proposition 65**

WARNING! This product contains a chemical known to the state of California to cause cancer.  
2,4-Toluene Diisocyanate (CAS#584-84-9)

**SECTION 16: Other Information**

**Abbreviations and Acronyms**

ATE	:	Acute Toxicity Estimate
DNEL	:	Derived No Effect Level
ACGIH	:	American Conference of Governmental Industrial Hygienists
CASRN	:	Chemical Abstracts Service Registry Number
IARC	:	International Agency for Research on Cancer
N/A	:	Not Applicable
N/D	:	Not Determined
N/E	:	Not Established
NTP	:	National Toxicology Program
OSHA	:	Occupational Safety & Health Administration
PEL	:	Permissible Exposure Limit
PPE	:	Personal Protective Equipment

STEL	:	Short Term (15 min) Exposure Limit
STP	:	Standard Temperature and Pressure
TLV	:	Threshold Limit Value
TWA	:	Time Weighted Average (8 hr.) Time Weighted Average (8 hr.)

TSE Industries, Inc. makes no representations or warranties with respect to the information in this Safety Data Sheet. The information is, however, correct and up to date to the best of TSE's knowledge. This list of information is not intended to be all inclusive. Actual conditions of use and handling may require considerations of information other than or in addition to that, which is provided herein. TSE makes no representations or warranties that the material meets the requirements and/or regulations of any country other than the United States. It is the end user's responsibility to determine whether this material meets their intended purpose and whether it complies with the laws and applicable regulations of their particular country.