acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0

# **SECTION 1: Identification**

# 1.1 Product identifier

Identification of the substance

CAS number

Alternative number(s)

# **Aspartic Ester Resin**

Confidential

S-8443

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Raw material for coatings, adhesives, sealants, or elastomers in industrial applications.

# 1.3 Details of the supplier of the safety data sheet

TSE Industries, Inc. 5260 113th Avenue North Clearwater, Florida 33760 United States Telephone: +1 727-573-7676 e-mail: SDSinquiry@tse-industries.com Website: WWW.TSE-Industries.com

# 1.4 Emergency telephone number

United States.

Infotrac®.

+1-800-535-5053 (24/7).

# SECTION 2: Hazard(s) identification

# 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.4S	skin sensitization	1B	Skin Sens. 1B	H317

For full text of abbreviations: see SECTION 16.

# 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning
- Pictograms

GHS07

H317

- Hazard statements

May cause an allergic skin reaction.

- Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to industrial combustion plant.



Date of compilation: 2020-08-25

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0

Date of compilation: 2020-08-25

### 2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral). May be harmful in contact with skin (GHS category 5: acutely toxic - dermal). Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance

Aspartic Ester Resin

Identifiers

CAS No

Confidential

Impurities and additives, classification acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Aliphatic Carboxylic Ester	CAS No Confidential	1-<5	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H336 Flam. Liq. 4 / H227	
Diethyl Maleate	CAS No 141-05-9	1-<5	Skin Sens. 1 / H317	<u>(</u> )

Molecular formula

C31H54N2O8

582.8<sup>g</sup>/<sub>mol</sub>

Molar mass

For full text of abbreviations: see SECTION 16.

# **SECTION 4: First-aid measures**

# 4.1 Description of first- aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0

Date of compilation: 2020-08-25

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Contain the released material by diking spilled material with absorbent.

#### Advice on how to clean up a spill

Cover spill with absorbent. Allow the absorbent to absorb the spilled liquid. Collect absorbent for proper disposal.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Recommendations

#### - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Avoid contact with eyes. Avoid contact with skin. Avoid contact with contaminated tools and objects. Do not breathe gas/fumes/vapor/spray.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store in a dry place. Keep away from heat. Material is hygroscopic and may absorb small amount of atmospheric moisture. Do not reseal container if contamination is suspected.

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

# 7.3 Specific end use(s)

See section 16 for a general overview.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

These information are not available. Specific exposure limits have not been established. .

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Use protective eyewear to guard against splash of liquids. Wear face-shield.

#### Skin protection

- Hand protection

Nitrile rubber, Butyl Rubber, Neoprene. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Viton gloves.

#### - Other protection measures

Wear suitable protective clothing.

#### Respiratory protection

During spraying wear suitable respiratory equipment. Use supplied air or organic vapor/particulate respirator in spraying applications.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Date of compilation: 2020-08-25

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Date of compilation: 2020-08-25

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

# Appearance

Version number: 1.0

Physical state	liquid
Color	colorless
Odor	characteristic

# Other safety parameters

)
с
is not available
(

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	335 °C at 1,014 hPa (ЕСНА)
Decomposition temperature	241 °C at 1,013 hPa (есна)

Viscosity

Other information	there is no additional information
Oxidizing properties	none
Explosive properties	none
- Dynamic viscosity	100 сР
- Kinematic viscosity	909.4 <sup>mm²</sup> / <sub>s</sub> at 20 °C

SDS-TSE-S-8443-US

9.2

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

# 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

Oxidizers, Acids, Isocyanate

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# **11.1** Information on toxicological effects

### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Date of compilation: 2020-08-25

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0

Date of compilation: 2020-08-25

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Exposure time	
LC50	66 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
EC50	88.6 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h	
ErC50	>1.319 <sup>mg</sup> / <sub>l</sub>	algae	48 h	

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Diethyl Maleate	141-05-9	EC50	95 <sup>mg</sup> /l	aquatic invertebrates	24 h
Diethyl Maleate	141-05-9	ErC50	202 <sup>mg</sup> / <sub>l</sub>	algae	72 h

# 12.2 Persistence and degradability

Process of degradability			
Process	Degradation rate	Time	
oxygen depletion	6 %	6 d	

# 12.3 Bioaccumulative potential

The substance fulfills the very bioaccumulative criterion.

# 12.4 Mobility in soil

Henry's law constant	0.24 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C
----------------------	---

# 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Other adverse effects

Endocrine disrupting potential Not listed.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste treatment-relevant information

May be disposed according to local, state and federal regulations.

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0

Date of compilation: 2020-08-25

### Waste treatment of containers/packages

Empty container contains product residue. Do not heat or cur empty container with electric or gas torch because highly toxic vapors and gases are formed. Do not reuse without thorough commercial cleaning and reconditioning. If container is to be disposed, ensure all product residue is removed prior to disposal.

SECT	ION 14: Transport information						
14.1	UN number	not assigned					
14.2	UN proper shipping name	not assigned					
14.3	Transport hazard class(es)	not assigned					
14.4	Packing group	not assigned					
14.5	Environmental hazards	hazardous to the aquatic environment					
14.6	Special precautions for user There is no additional information.						
<b>14.7</b> Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.							
	Information for each of the UN Model Regulation	ons					
	Transport of dangerous goods by road or rail (4 not assigned	9 CFR US DOT)					
	International Maritime Dangerous Goods Code	International Maritime Dangerous Goods Code (IMDG)					
	UN number	3082					
	Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.					
	Class	9					
	Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)					
	Packing group	III					
	Danger label(s)	9, fish and tree					
	Special provisions (SP)	274, 335, 969					
	Excepted quantities (EQ)	E1					
	Limited quantities (LQ)	5 L					
	EmS	F-A, S-F					
	Stowage category	A					
	International Civil Aviation Organization (ICAO-IATA/DGR)						
	UN number	3082					
	Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.					
	Class	9					
	Environmental hazards	<b>YES</b> (hazardous to the aquatic environment)					
	Packing group	III					

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0	Date of compilation: 2020-08-25
Danger label(s)	9, fish and tree
Special provisions (SP)	A97, A158, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

1 Safety, health and environmental regulations specific for the product in question		
National regulations (United States)		
Toxic Substance Control Act (TSCA)	all ingredients are listed or exempt from listing	
Superfund Amendment and Reauthorization Act (SARA TITLE III )		
- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities(EPCRA Section 302, 304)		
	National regulations (United States) Toxic Substance Control Act (TSCA) Superfund Amendment and Reauthorization Act - The List of Extremely Hazardous Substances and	

not listed

- Specific Toxic Chemical Listings (EPCRA Section 313) not listed

# Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) not listed

# **Clean Air Act**

not listed

### **Right to Know Hazardous Substance List**

- Hazardous Substance List (NJ-RTK)

not listed

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

not listed

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EmS	Emergency Schedule

acc. to 29 CFR 1910.1200 App D

# TSE-EZASP<sup>™</sup> 8443

Version number: 1.0

Date of compilation: 2020-08-25

Abbr.	Descriptions of used abbreviations
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure
vPvB	Very Persistent and very Bioaccumulative

# Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H227	Combustible liquid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.